

Getting Started with GNAT/RTEMS

Edition 4.0.0, for RTEMS 4.0.0

October 1998

On-Line Applications Research Corporation

COPYRIGHT © 1988 - 1998.
On-Line Applications Research Corporation (OAR).

The authors have used their best efforts in preparing this material. These efforts include the development, research, and testing of the theories and programs to determine their effectiveness. No warranty of any kind, expressed or implied, with regard to the software or the material contained in this document is provided. No liability arising out of the application or use of any product described in this document is assumed. The authors reserve the right to revise this material and to make changes from time to time in the content hereof without obligation to notify anyone of such revision or changes.

Any inquiries concerning RTEMS, its related support components, or its documentation should be directed to either:

On-Line Applications Research Corporation
4910-L Corporate Drive
Huntsville, AL 35805
VOICE: (256) 722-9985
FAX: (256) 722-0985
EMAIL: rtems@OARcorp.com

1 Introduction

The purpose of this document is to guide you through the process of installing a GNU cross development environment to use with RTEMS.

If you are already familiar with the concepts behind a cross compiler and have a background in Unix, these instructions should provide the bare essentials for performing a setup of the following items:

- GNAT/RTEMS Cross Compilation Tools on your host system
- RTEMS OS for the target host
- GDB Debugger

The remainder of this chapter provides background information on real-time embedded systems and cross development and an overview of other resources of interest on the Internet. If you are not familiar with real-time embedded systems or the other areas, please read those sections. These sections will help familiarize you with the types of systems RTEMS is designed to be used in and the cross development process used when developing RTEMS applications.

1.1 Real-Time Embedded Systems

Real-time embedded systems are found in practically every facet of our everyday lives. Today's systems range from the common telephone, automobile control systems, and kitchen appliances to complex air traffic control systems, military weapon systems, and production line control including robotics and automation. However, in the current climate of rapidly changing technology, it is difficult to reach a consensus on the definition of a real-time embedded system. Hardware costs are continuing to rapidly decline while at the same time the hardware is increasing in power and functionality. As a result, embedded systems that were not considered viable two years ago are suddenly a cost effective solution. In this domain, it is not uncommon for a single hardware configuration to employ a variety of architectures and technologies. Therefore, we shall define an embedded system as any computer system that is built into a larger system consisting of multiple technologies such as digital and analog electronics, mechanical devices, and sensors.

Even as hardware platforms become more powerful, most embedded systems are critically dependent on the real-time software embedded in the systems themselves. Regardless of how efficiently the hardware operates, the performance of the embedded real-time software determines the success of the system. As the complexity of the embedded hardware platform grows, so does the size and complexity of the embedded software. Software systems must routinely perform activities which were only dreamed of a short time ago. These large, complex, real-time embedded applications now commonly contain one million lines of code or more.

Real-time embedded systems have a complex set of characteristics that distinguish them from other software applications. Real-time embedded systems are driven by and must respond to real

world events while adhering to rigorous requirements imposed by the environment with which they interact. The correctness of the system depends not only on the results of computations, but also on the time at which the results are produced. The most important and complex characteristic of real-time application systems is that they must receive and respond to a set of external stimuli within rigid and critical time constraints.

A single real-time application can be composed of both soft and hard real-time components. A typical example of a hard real-time system is a nuclear reactor control system that must not only detect failures, but must also respond quickly enough to prevent a meltdown. This application also has soft real-time requirements because it may involve a man-machine interface. Providing an interactive input to the control system is not as critical as setting off an alarm to indicate a failure condition. However, the interactive system component must respond within an acceptable time limit to allow the operator to interact efficiently with the control system.

1.2 Cross Development

Today almost all real-time embedded software systems are developed in a **cross development** environment using cross development tools. In the cross development environment, software development activities are typically performed on one computer system, the **host** system, while the result of the development effort (produced by the cross tools) is a software system that executes on the **target** platform. The requirements for the target platform are usually incompatible and quite often in direct conflict with the requirements for the host. Moreover, the target hardware is often custom designed for a particular project. This means that the cross development toolset must allow the developer to customize the tools to address target specific run-time issues. The toolset must have provisions for board dependent initialization code, device drivers, and error handling code.

The host computer is optimized to support the code development cycle with support for code editors, compilers, and linkers requiring large disk drives, user development windows, and multiple developer connections. Thus the host computer is typically a traditional UNIX workstation such as are available from SUN or Silicon Graphics, or a PC running either a version of MS-Windows or UNIX. The host system may also be required to execute office productivity applications to allow the software developer to write documentation, make presentations, or track the project's progress using a project management tool. This necessitates that the host computer be general purpose with resources such as a thirty-two or sixty-four bit processor, large amounts of RAM, a monitor, mouse, keyboard, hard and floppy disk drives, CD-ROM drive, and a graphics card. It is likely that the system will be multimedia capable and have some networking capability.

Conversely, the target platform generally has limited traditional computer resources. The hardware is designed for the particular functionality and requirements of the embedded system and optimized to perform those tasks effectively. Instead of hard drivers and keyboards, it is composed of sensors, relays, and stepper motors. The per-unit cost of the target platform is typically a critical concern. No hardware component is included without being cost justified. As a result, the processor of the target system is often from a different processor family than that of the

host system and usually has lower performance. In addition to the processor families targeted only for use in embedded systems, there are versions of nearly every general-purpose process or specifically tailored for real-time embedded systems. For example, many of the processors targeting the embedded market do not include hardware floating point units, but do include peripherals such as timers, serial controllers, or network interfaces.

1.3 Resources on the Internet

This section describes various resources on the Internet which are of use to GNAT/RTEMS users.

1.3.1 RTEMS Mailing List

`rtems-list@OARcorp.com`

This mailing list is dedicated to discussion of issues related to RTEMS. If you have questions about RTEMS, wish to make suggestions, or just want to pick up hints, this is a good list to subscribe to. Subscribe by sending a message with the one line "subscribe" to `rtems-list-request@OARcorp.com`.

1.3.2 CrossGCC Mailing List

`crossgcc@cygnus.com`

This mailing list is dedicated to the use of the GNU tools in cross development environments. Most of the discussions focus on embedded issues. Subscribe by sending a message with the one line "subscribe" to `crossgcc-request@cygnus.com`.

The `crossgcc` FAQ as well as a number of patches and utilities of interest to cross development system users are available at `ftp://ftp.cygnus.com/pub/embedded/crossgcc`.

1.3.3 GNAT Chat Mailing List

`chat@gnat.com`

This mailing list is dedicated to the general discussion of GNAT specific issues. The discussions try to avoid more general Ada95 language issues which have other forums. Subscribe by sending a message with the one line "subscribe" to `chat-request@gnat.com`.

2 Requirements

A fairly large amount of disk space is required to perform the build of the GNU C/C++ Cross Compiler Tools for RTEMS. The following table may help in assessing the amount of disk space required for your installation:

Component	Disk Space Required
archive directory	30 Mbytes
tools src unzipped	100 Mbytes
each individual build directory	300 Mbytes worst case
each installation directory	20-130 Mbytes

The disk space required for each installation directory depends primarily on the number of RTEMS BSPs which are to be installed. If a single BSP is installed, then the size of each install directory will tend to be in the 40-60 Mbyte range.

The instructions in this manual should work on any computer running a UNIX variant. Some native GNU tools are used by this procedure including:

- GCC
- GNAT
- GNU make

In addition, some native utilities may be deficient for building the GNU tools.

2.1 Native GNAT

The native GNAT must be installed in the default location or built from source. No GCC or GNAT environment variables should be set during the build or use of the cross GNAT/RTEMS toolset as this could result in an unpredictable mix of native and cross toolsets.

Binaries for native GNAT installations are available at the primary GNAT ftp site (`{No value for "GNAT-FTP"}`). Installation instructions are included with the binary GNAT distributions. The binary installation should be installed in the default location or installed in a non-default location and used **ONLY** to build a native GNAT from source. This final native GNAT will be used to build the GNAT/RTEMS cross development toolset.

2.1.1 Verifying Correct Operation of Native GNAT

It is imperative that the native GNAT installation work correctly for the installation of GNAT/RTEMS to succeed. It is recommended that the user verify that the native GNAT is installed correctly by performing these tests:

2.1.1.1 Native Hello World Test

Place the following Ada source code in hello.adb:

```
with Text_IO; use Text_IO;

procedure Hello is
begin
  Put_Line ( "Hello World");
end Hello;
```

Use the following command sequence to compile and execute the above program:

```
gnatmake hello
./hello
```

If the message Hello World is printed, then the native installation of GNAT operates well enough to proceed.

2.1.1.2 Insure GCC and GNAT Environment Variables Are Not Set

If any of the following commands produce output, then you have environment variables overriding the default behavior of the native GNAT toolset. These variables will conflict with the cross toolset. Please resolve this problem before proceeding further.

```
echo $GCC_EXEC_PREFIX
echo $ADA_INCLUDE_PATH
echo $ADA_OBJECTS_PATH
echo $LD_RUN_PATH
echo $C_INCLUDE_PATH
```


3 Building the GNAT Cross Compiler Toolset

This chapter describes the steps required to acquire the source code for a GNU cross compiler toolset, apply any required RTEMS specific patches, compile that toolset and install it.

3.1 Create the Archive and Build Directories

Start by making the `archive` directory to contain the downloaded source code and the `tools` directory to be used as a build directory. The command sequence to do this is shown below:

```
mkdir archive
mkdir tools
```

This will result in an initial directory structure similar to the one shown in the following figure:

```
/whatever/prefix/you/choose/
  archive/
  tools/
```

3.2 Get All the Pieces

This section lists the components of an RTEMS cross development system. Included are the locations of each component as well as any required RTEMS specific patches.

gcc 2.8.1

```
FTP Site:  ftp.gnu.org
Directory: /pub/gnu
File:      gcc-2.8.1.tar.gz
```

gnat 3.10p

```
FTP Site:  cs.nyu.edu
Directory: /pub/gnat
File:      gnat-3.10p-src.tar.gz
```

binutils 2.9.1

```
FTP Site:  ftp.gnu.org
Directory: /pub/gnu
File:      binutils-2.9.1.tar.gz
```

newlib 1.8.0

```
FTP Site:  ftp.cygnum.com
Directory: /pub/newlib
File:      newlib-1.8.0.tar.gz
```

RTEMS 4.0.0

FTP Site: ftp.OARcorp.com
Directory: /pub/rtems/4.0.0
File: rtems-4.0.0.tgz

RTEMS Hello World

FTP Site: ftp.OARcorp.com
Directory: /pub/rtems/4.0.0
File: hello_world_ada.tgz

RTEMS Specific Tool Patches and Scripts

FTP Site: ftp.OARcorp.com
Directory: /pub/rtems/4.0.0/ada_tools
File: ada_build_scripts-4.0.0.tgz
File: binutils-2.9.1-rtems-diff-19981027.gz
File: newlib-1.8.0-rtems-diff-19981027.gz
File: gcc-2.8.1-rtems-diff-19980527.gz
File: gnat-3.10p-rtems-diff-19971106.gz

3.3 Unarchiving the Tools

While in the `tools` directory, unpack the compressed tar files using the following command sequence:

```
cd tools
tar xzf ../archive/gcc-2.8.1.tar.gz
tar xzf ../archive/gnat-3.10p-src.tar.gz
tar xzf ../archive/binutils-2.9.1.tar.gz
tar xzf ../archive/newlib-1.8.0.tar.gz
tar xzf ../archive/ada_build_scripts-4.0.0.tgz
```

After the compressed tar files have been unpacked, the following directories will have been created under `tools`.

- `binutils-2.9.1`
- `gcc-2.8.1`
- `gnat-3.10p-src`
- `newlib-1.8.0`

There will also be a set of scripts in the current directory which aid in building the tools and RTEMS. They are:

- `bit_ada`
- `bit_gdb`

- bit_rtems
- common.sh
- user.cfg

When the `bit_ada` script is executed later in this process, it will automatically create two other subdirectories:

- src
- build-`{CPU}`-tools

Similarly, the `bit_gdb` script will create the subdirectory `build-{CPU}-gdb` and the `bit_rtems` script will create the subdirectory `build-{CPU}-rtems`.

The directory tree should look something like the following figure:

```

/whatever/prefix/you/choose/
  archive/
    gcc-2.8.1.tar.gz
    gnat-3.10p-src.tar.gz
    binutils-2.9.1.tar.gz
    newlib-1.8.0.tar.gz
    rtems-4.0.0.tgz
    ada_build_scripts-4.0.0.tgz
    gcc-2.8.1-rtems-diff-19980527.gz
    binutils-2.9.1-rtems-diff-19981027.gz
    newlib-1.8.0-rtems-diff-19981027.gz
    gnat-3.10p-rtems-diff-19971106.gz
    hello_world_ada.tgz
    bit_ada
  tools/
    binutils-2.9.1/
    gcc-2.8.1/
    gnat-3.10p-src/
    newlib-1.8.0/
    rtems-4.0.0/
    bit_ada
    bit_gdb
    bit_rtems
    common.sh
    user.cfg

```

3.4 Host Specific Notes

3.4.1 Solaris 2.x

The build scripts are written in "shell". The program `/bin/sh` on Solaris 2.x is not robust enough to execute these scripts. If you are on a Solaris 2.x host, then change the first line of the files `bit_ada`, `bit_gdb`, and `bit_rtems` to use the `/bin/ksh` shell instead.

3.5 Reading the Tools Documentation

Each of the tools in the GNU development suite comes with documentation. It is in the reader's and tool maintainers' interest that one read the documentation before posting a problem to a mailing list or news group.

3.6 Apply RTEMS Patch to GCC

Apply the patch using the following command sequence:

```
cd tools/gcc-2.8.1
zcat ../../archive/gcc-2.8.1-rtems-diff-19980527.gz | patch -p1
```

Check to see if any of these patches have been rejected using the following sequence:

```
cd tools/gcc-2.8.1
find . -name "*.rej" -print
```

If any files are found with the `.rej` extension, a patch has been rejected. This should not happen with a good patch file which is properly applied.

3.7 Apply RTEMS Patch to binutils

Apply the patch using the following command sequence:

```
cd tools/binutils-2.9.1
zcat ../../archive/binutils-2.9.1-rtems-diff-19981027.gz | patch -p1
```

Check to see if any of these patches have been rejected using the following sequence:

```
cd tools/binutils-2.9.1
find . -name "*.rej" -print
```

If any files are found with the `.rej` extension, a patch has been rejected. This should not happen with a good patch file which is properly applied.

3.8 Apply RTEMS Patch to newlib

Apply the patch using the following command sequence:

```
cd tools/newlib-1.8.0
zcat ../../archive/newlib-1.8.0-rtems-diff-19981027.gz | patch -p1
```

Check to see if any of these patches have been rejected using the following sequence:

```
cd tools/newlib-1.8.0
find . -name "*.rej" -print
```

If any files are found with the .rej extension, a patch has been rejected. This should not happen with a good patch file which is properly applied.

3.9 Apply RTEMS Patch to GNAT

Apply the patch using the following command sequence:

```
cd tools/gnat-3.10p-src
zcat ../../archive/gnat-3.10p-rtems-diff-19971106.gz | patch -p1
```

Check to see if any of these patches have been rejected using the following sequence:

```
cd tools/gnat-3.10p-src
find . -name "*.rej" -print
```

If any files are found with the .rej extension, a patch has been rejected. This should not happen with a good patch file which is properly applied.

3.10 Copy the ada Subdirectory to the GCC Source Tree

Copy the ada subtree in the patched subtree of tools/gnat-3.10p-src/src to the tools/gcc-2.8.1 directory:

```
cd tools/gnat-3.10p-src/src
cp -r ada ../../gcc-2.8.1
```

3.11 Localizing the Configuration

Edit the `user.cfg` file to alter the settings of various variables which are used to tailor the build process. Each of the variables set in `user.cfg` may be modified as described below:

INSTALL_POINT is the location where you wish the GNU C/C++ cross compilation tools for RTEMS to be built. It is recommended that the directory chosen to receive these tools be named so that it is clear from which egcs distribution it was generated and for which target system the tools are to produce code for.

WARNING: The `INSTALL_POINT` should not be a subdirectory under the build directory. The build directory will be removed automatically upon successful completion of the build procedure.

BINUTILS is the directory under tools that contains binutils-2.9.1. For example:

```
BINUTILS=binutils-2.9.1
```

GCC is the directory under tools that contains gcc-2.8.1. For example,

```
GCC=gcc-2.8.1
```

Note that the gnat version is not needed because the gnat source is built as part of building gcc.

NEWLIB is the directory under tools that contains newlib-1.8.0. For example:

```
NEWLIB=newlib-1.8.0
```

BUILD_DOCS is set to "yes" if you want to install documentation. For example:

```
BUILD_DOCS=yes
```

BUILD_OTHER_LANGUAGES

is set to "yes" if you want to build languages other than C and C++. At the current time, this enables Fortran and Objective-C. For example:

```
BUILD_OTHER_LANGUAGES=yes
```

RTEMS

is the directory under tools that contains rtems-4.0.0.

ENABLE_RTEMS_POSIX

is set to "yes" if you want to enable the RTEMS POSIX API support. At this time, this feature is not supported by the UNIX ports of RTEMS and is forced to "no" for those targets. This corresponds to the `configure` option `--enable-posix`.

This must be enabled to support the GNAT/RTEMS run-time.

ENABLE_RTEMS_TESTS

is set to "yes" if you want to build the RTEMS Test Suite. If this is set to "no", then only the Sample Tests will be built. This corresponds to the `configure` option `--enable-tests`.

ENABLE_RTEMS_TCPIP

is set to "yes" if you want to build the RTEMS TCP/IP Stack. If a particular BSP does not support TCP/IP, then this feature is automatically disabled. This corresponds to the `configure` option `--enable-tcpip`.

ENABLE_RTEMS_CXX

is set to "yes" if you want to build the RTEMS C++ support including the C++ Wrapper for the Classic API. This corresponds to the `configure` option `--enable-cxx`.

3.12 Running the bit_ada Script

After the `bit_ada` script has been modified to reflect the local installation, the modified `bit_ada` script is run using the following sequence:

```
cd tools
./bit_ada <target configuration>
```

Where `<target configuration>` is one of the following:

- hppa1.1
- i386
- i386-elf
- i386-go32
- i960
- m68k
- mips64orion
- powerpc
- sh
- sparc

NOTE: The above list of target configurations is the list of RTEMS supported targets. Only a subset of these have been tested with GNAT/RTEMS. For more information, contact your GNAT/RTEMS representative.

If no errors are encountered, the `bit_ada` script will conclude by printing messages similar to the following:

```
The src and build-i386-tools subdirectory may now be removed.
```

```
Started: Fri Apr 10 10:14:07 CDT 1998
```

```
Finished: Fri Apr 10 12:01:33 CDT 1998
```

If the `bit_ada` script successfully completes, then the GNU C/C++ cross compilation tools are installed.

If the `bit_ada` script does not successfully complete, then investigation will be required to determine the source of the error.

4 Building RTEMS

4.1 Unpack the RTEMS Source

Use the following command sequence to unpack the RTEMS source into the tools directory:

```
cd tools
tar xzf ../archive/rtems-4.0.0.tgz
```

4.2 Add <INSTALL_POINT>/bin to Executable PATH

In order to compile RTEMS, you must have the cross compilation toolset in your search path. The following command appends the directory where the tools were installed in the previous chapter:

```
export PATH=$PATH:<INSTALL_POINT>/bin
```

NOTE: The above command is in Bourne shell (**sh**) syntax and should work with the Korn (**ksh**) and GNU Bourne Again Shell (**bash**). It will not work with the C Shell (**csh**) or derivatives of the C Shell.

4.3 Verifying the Operation of the Cross Toolset

In order to insure that the cross-compiler is invoking the correct subprograms (like **as** and **ld**), one can test assemble a small program. When in verbose mode, **gcc** prints out information showing where it found the subprograms it invokes. Place the following function in a file named **f.c**:

```
int f( int x )
{
    return x + 1;
}
```

Then assemble the file using a command similar to the following:

```
m68k-rtems-gcc -v -S f.c
```

Where **m68k-rtems-gcc** should be changed to match the installed name of your cross compiler. The result of this command will be a sequence of output showing where the cross-compiler searched for and found its subcomponents. Verify that these paths correspond to your <INSTALL_POINT>.

NOTE: One of the most common installation errors is for the cross-compiler not to be able to find the cross assembler and default to using the native **as**. This can result in very confusing error messages.

4.4 Generate RTEMS for a Specific Target and BSP

4.4.1 Using the `bit_rtems` script

The simplest way to build RTEMS is to use the `bit_rtems` script. This script interprets the settings in the `user.cfg` file to enable or disable the various RTEMS options.

This script is invoked as follows:

```
./bit_rtems CPU [BSP]
```

Where CPU is one of the RTEMS supported CPU families from the following list:

- hppa1.1
- i386
- i386-elf
- i386-go32
- i960
- m68k
- mips64orion
- powerpc
- sh
- sparc

BSP is a supported BSP for the selected CPU family. The list of supported BSPs may be found in the file `tools/rtems-4.0.0/README.configure` in the RTEMS source tree. If the BSP parameter is not specified, then all supported BSPs for the selected CPU family will be built.

NOTE: The POSIX API must be enabled to use GNAT/RTEMS.

4.4.2 Using the RTEMS configure Script Directly

Make a build directory under `tools` and build the RTEMS product in this directory. The `../rtems-4.0.0/configure` command has numerous command line arguments. These arguments are discussed in detail in documentation that comes with the RTEMS distribution. In the installation described in the section "Unpack the RTEMS source", these configuration options can be found in the file `tools/rtems-4.0.0/README.configure`.

The GNAT/RTEMS run-time implementation is based on the POSIX API. Thus the RTEMS configuration for a GNAT/RTEMS environment **MUST** include the `--enable-posix` flag.

The following shows the command sequence required to configure, compile, and install RTEMS with the POSIX API enabled. RTEMS will be built to target the `BOARD_SUPPORT_PACKAGE` board.

```
mkdir build-rtems
cd build-rtems
../rtems-4.0.0/configure --target=<TARGET_CONFIGURATION> \
  --enable-posix \
```

```
    --enable-rtemsbsp=<BOARD_SUPPORT_PACKAGE>\
    --prefix=<INSTALL_POINT>
gmake all install
```

Where the list of currently supported of <TARGET_CONFIGURATION>'s and <BOARD_SUPPORT_PACKAGE>'s can be found in `tools/rtems-4.0.0/README.configure`.

<INSTALL_POINT> is the installation point from the previous step "Modify the bit_ada Script" in the build of the tools.

5 Building the Sample Application

5.1 Unpack the Sample Application

Use the following command to unarchive the sample application:

```
cd tools
tar xzf ../archive/hello_world_ada.tgz
```

5.2 Create a BSP Specific Makefile

Provided are example Makefiles for multiple BSPs. Copy one of these to the file `Makefile.<BOARD_SUPPORT_PACKAGE>` and edit it as appropriate for your local configuration.

Use the `<INSTALLATION_POINT>` and `<BOARD_SUPPORT_PACKAGE>` specified when configuring and installing RTEMS.

5.3 Build the Sample Application

Use the following command to start the build of the sample application:

```
cd tools/hello_world_ada
gmake -f Makefile.<BOARD_SUPPORT_PACKAGE>
```

If the BSP specific modifications to the Makefile were correct and no errors are detected during the sample application build, it is reasonable to assume that the build of the GNAT/RTEMS Cross Compiler Tools for RTEMS and RTEMS itself for the selected host and target combination was done properly.

5.4 Application Executable

If the sample application has successfully been build, then the application executable is placed in the following directory:

```
tools/hello_world_ada/o-<BOARD_SUPPORT_PACKAGE>/<filename>.exe
```

How this executable is downloaded to the target board is very dependent on the `BOARD_SUPPORT_PACKAGE` selected.

6 Building the GNU Debugger

GDB is not currently RTEMS aware. The following configurations have been successfully used with RTEMS applications:

- Sparc Instruction Simulator (SIS)
- PowerPC Instruction Simulator (PSIM)
- DINK32

Other configurations of gdb have successfully been used by RTEMS users but are not documented here.

6.1 Unarchive the gdb Distribution

Use the following commands to unarchive the gdb distribution:

```
cd tools
tar xzf ../archive/gdb-4.17.tar.gz
```

The directory gdb-4.17 is created under the tools directory.

6.2 Apply GNAT Patch to GDB

No GNAT specific patches are required for gdb 4.17 to support RTEMS 4.0.0 and gnat 3.10p.

6.3 Apply RTEMS Patch to GDB

Apply the patch using the following command sequence:

```
cd tools/gdb-4.17
zcat archive/gdb-4.17-rtems-diff-19981027.gz | patch -p1
```

Check to see if any of these patches have been rejected using the following sequence:

```
cd tools/gdb-4.17
find . -name "*.rej" -print
```

If any files are found with the .rej extension, a patch has been rejected. This should not happen with a good patch file.

To see the files that have been modified use the sequence:

```
cd tools/gdb-4.17
find . -name "*.orig" -print
```

The files that are found, have been modified by the patch file.

6.4 GDB with Sparc Instruction Simulation (SIS)

Make the Build Directory

Create a build directory for the SIS Debugger

```
cd tools
mkdir build-sis
```

Configure for the Build

Configure the GNU Debugger for the Sparc Instruction Simulator (SIS):

```
cd tools/build-sis
../gdb-4.17/configure --target-sparc-erc32-aout \
  --program-prefix=sparc-rtems- \
  --disable-gdbtk \
  --enable-targets=all \
  --prefix=<INSTALL_POINT_FOR_SIS>
```

Where <INSTALL_POINT_FOR_SIS> is a unique location where the gdb with SIS will be created.

Make the Debugger

From tools/build-sis execute the following command sequence:

```
gmake all install
```

6.5 GDB with PowerPC Instruction Simulator

Make the Build Directory

Create a build directory for the SIS Debugger

```
cd tools
mkdir build-ppc
```

Configure for the Build

Configure the GNU Debugger for the PowerPC Instruction Simulator (PSIM):

```
cd tools/build-ppc
../gdb-4.17/configure \
  --target=powerpc-unknown-eabi \
  --program-prefix=powerpc-rtems- \
  --enable-sim-powerpc \
  --enable-sim-timebase \
  --enable-sim-inline \
```



```
--enable-sim-hardware \  
--enable-targets=all \  
--prefix=<INSTALL_POINT_FOR_PPC>
```

Where <INSTALL_POINT_FOR_PPC> is a unique location where the gdb with PSIM will be created.

Make the Debugger

From tools/build-ppc execute the following command sequence:

```
gmake all install
```

6.6 GDB for DINK32

Make the Build Directory

Create a build directory for the DINK32 Debugger

```
cd tools  
mkdir build-dink32
```

Configure for the Build

Configure the GNU Debugger to communicate with the DINK32 ROM monitor:

```
cd tools/build-dink32  
../gdb-4.17/configure --target-powerpc-elf \  
--program-prefix=powerpc-rtems- \  
--enable-targets=all \  
--prefix=<INSTALL_POINT_FOR_DINK32>
```

Where <INSTALL_POINT_FOR_DINK32> is a unique location where the gdb Dink32 will be created.

Make the Debugger

From tools/build-dink32 execute the following command sequence:

```
gmake all install
```


Table of Contents

1	Introduction	1
1.1	Real-Time Embedded Systems	1
1.2	Cross Development	2
1.3	Resources on the Internet	3
1.3.1	RTEMS Mailing List	3
1.3.2	CrossGCC Mailing List	3
1.3.3	GNAT Chat Mailing List	3
2	Requirements	5
2.1	Native GNAT	5
2.1.1	Verifying Correct Operation of Native GNAT	5
2.1.1.1	Native Hello World Test	6
2.1.1.2	Insure GCC and GNAT Environment Variables Are Not Set	6
3	Building the GNAT Cross Compiler Toolset	7
3.1	Create the Archive and Build Directories	7
3.2	Get All the Pieces	7
3.3	Unarchiving the Tools	8
3.4	Host Specific Notes	9
3.4.1	Solaris 2.x	10
3.5	Reading the Tools Documentation	10
3.6	Apply RTEMS Patch to GCC	10
3.7	Apply RTEMS Patch to binutils	10
3.8	Apply RTEMS Patch to newlib	10
3.9	Apply RTEMS Patch to GNAT	11
3.10	Copy the ada Subdirectory to the GCC Source Tree	11
3.11	Localizing the Configuration	11
3.12	Running the bit_ada Script	12
4	Building RTEMS	15
4.1	Unpack the RTEMS Source	15
4.2	Add <INSTALL_POINT>/bin to Executable PATH	15
4.3	Verifying the Operation of the Cross Toolset	15
4.4	Generate RTEMS for a Specific Target and BSP	15
4.4.1	Using the bit_rtems script	16
4.4.2	Using the RTEMS configure Script Directly	16

5	Building the Sample Application	19
5.1	Unpack the Sample Application	19
5.2	Create a BSP Specific Makefile	19
5.3	Build the Sample Application	19
5.4	Application Executable	19
6	Building the GNU Debugger	21
6.1	Unarchive the gdb Distribution	21
6.2	Apply GNAT Patch to GDB	21
6.3	Apply RTEMS Patch to GDB	21
6.4	GDB with Sparc Instruction Simulation (SIS)	22
6.5	GDB with PowerPC Instruction Simulator	22
6.6	GDB for DINK32	23